# **INSRR Rabbit pAb**

Catalog No.: A10083



### **Basic Information**

#### **Observed MW**

144kDa

### **Calculated MW**

144kDa

### Category

Primary antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Mouse, Rat

# **Background**

Enables transmembrane receptor protein tyrosine kinase activity. Involved in actin cytoskeleton reorganization; cellular response to alkaline pH; and protein autophosphorylation. Part of receptor complex.

# **Recommended Dilutions**

**WB** 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

# **Immunogen Information**

**Swiss Prot Gene ID** 3645 P14616

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

### **Synonyms**

IRR; INSRR

## **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	ī	www.abclonal.com.cn


# **Product Information**

**Purification Source** Isotype Affinity purification Rabbit IgG

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.



Western blot analysis of various lysates using INSRR Rabbit pAb (A10083) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit lgG (H+L) (AS014) at 1:10000 dilution. Lysates / proteins: 25  $\mu$ g per lane.

Blocking buffer: 3 % nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.