# **ARAP1** Rabbit pAb

Catalog No.: A10466 1 Publications



## **Basic Information**

#### **Observed MW**

162kDa

### **Calculated MW**

162kDa

## Category

Primary antibody

### **Applications**

ELISA,WB,IF/ICC

#### **Cross-Reactivity**

Mouse, Rat

## **Background**

The protein encoded by this gene contains SAM, ARF-GAP, RHO-GAP, ankyrin repeat, RAS-associating, and pleckstrin homology (PH) domains. In vitro, this protein displays RHO-GAP and phosphatidylinositol (3,4,5) trisphosphate (PIP3)-dependent ARF-GAP activity. The encoded protein associates with the Golgi, and the ARF-GAP activity mediates changes in the Golgi and the formation of filopodia. It is thought to regulate the cell-specific trafficking of a receptor protein involved in apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene.

## **Recommended Dilutions**

**WB** 1:500 - 1:1000

**IF/ICC** 1:50 - 1:200

## **Immunogen Information**

**Gene ID Swiss Prot** 116985 Q96P48

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 834-1133 of human ARAP1 (NP\_001128662.1).

### **Synonyms**

CENTD2; cnt-d2; ARAP1

## **Contact**

2		400-999-6126
$\bowtie$	Τ	cn.market@abclonal.com.cn
•	Т	www.abclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using ARAP1 antibody (A10466) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021).

Exposure time: 10s.