

NCOA7 Rabbit pAb

Catalog No.: A13799

Basic Information

Observed MW

106kDa

Calculated MW

106kDa

Category

Primary antibody

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

Enables nuclear receptor binding activity and nuclear receptor coactivator activity. Involved in positive regulation of transcription by RNA polymerase II. Predicted to be active in nucleus.

Recommended Dilutions

WB 1:500 - 1:1000

ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

135112

Swiss Prot

Q8NI08

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

ESNA1; TLDC4; ERAP140; NCOA7-AS; Nbla00052; Nbla10993; dj187J11.3; NCOA7

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of lysates from Rat kidney, using NCOA7 Rabbit pAb (A13799) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 180s.