

OAS1 Rabbit pAb

Catalog No.: A14623 **1 Publications**

Basic Information

Observed MW

42 kDa

Calculated MW

46kDa

Category

Primary antibody

Applications

WB, ELISA

Cross-Reactivity

Mouse, Rat

Background

This interferon-induced gene encodes a protein that synthesizes 2',5'-oligoadenylates (2-5As). This protein plays a key role in innate cellular antiviral response, and has been implicated in other cellular processes like cell growth and apoptosis. Alternative splicing results in multiple transcript variants with different enzymatic activities. Polymorphisms in this gene have been associated with susceptibility to viral infection, including SARS-CoV-2, and diabetes mellitus, type 1. This gene is located in a cluster of related genes on chromosome 12.

Recommended Dilutions

WB 1:500 - 1:2000**ELISA** Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

4938

Swiss Prot

P00973

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

OIAS; IFI-4; OIASI; IMD100; E18/E16; OAS1

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG


Purification

Affinity purification

Storage

Store at -20°C

Validation Data



Western blot analysis of various lysates using OAS1 Rabbit pAb (A14623) at 1:1000 dilution incubated overnight at 4°C.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25 µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60 s.