

C12orf10 Rabbit pAb

Catalog No.: A17198

Basic Information

Observed MW

Refer to figures

Calculated MW

42kDa

Category

Primary antibody

Applications

IHC-P, ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

Predicted to enable nuclease activity. Predicted to be involved in nucleic acid phosphodiester bond hydrolysis. Predicted to act upstream of or within locomotory exploration behavior. Located in mitochondrion and nucleoplasm.

Recommended Dilutions

IHC-P 1:50 - 1:200

ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

60314

Swiss Prot

Q9HB07

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

MYG; Gamm1; MST024; MSTP024; C12orf10

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype


IgG

Purification


Affinity purification

Storage


Store at -20°C



Immunohistochemistry analysis of paraffin-embedded Rat testis using C12orf10 Rabbit pAb (A17198) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Human stomach using C12orf10 Rabbit pAb (A17198) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Mouse testis using C12orf10 Rabbit pAb (A17198) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.