# **EPB42** Rabbit pAb

Catalog No.: A17481



# **Basic Information**

#### **Observed MW**

77kDa

#### **Calculated MW**

77kDa

#### Category

Primary antibody

## **Applications**

WB, ELISA

#### **Cross-Reactivity**

Human, Mouse

# **Background**

Erythrocyte membrane protein band 4.2 is an ATP-binding protein which may regulate the association of protein 3 with ankyrin. It probably has a role in erythrocyte shape and mechanical property regulation. Mutations in the EPB42 gene are associated with recessive spherocytic elliptocytosis and recessively transmitted hereditary hemolytic anemia. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

# **Recommended Dilutions**

WB

**ELISA** 

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

1:500 - 1:1000

# **Immunogen Information**

**Gene ID**2038

Swiss Prot
P16452

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 10-240 of human EPB42 (NP\_001107606).

## **Synonyms**

PA; SPH5; EPB42

## **Contact**

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20  $^{\circ}\text{C}.$  Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Western blot analysis of various lysates, using EPB42 Rabbit pAb (A17481) at 1:800 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit lgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins:  $25\mu g$  per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 45s.