# ZNF143 Rabbit pAb

Catalog No.: A17549



# **Basic Information**

#### **Observed MW**

75kDa

### **Calculated MW**

69kDa

### Category

Primary antibody

## **Applications**

WB,ELISA

### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Enables DNA-binding transcription activator activity, RNA polymerase II-specific and RNA polymerase II cis-regulatory region sequence-specific DNA binding activity. Involved in positive regulation of snRNA transcription by RNA polymerase II. Predicted to be located in nucleoplasm.

# Recommended Dilutions

**WB** 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

# **Immunogen Information**

**Gene ID**7702

Swiss Prot

P52747

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 437-638 of human ZNF143 (NP\_003433.3).

### **Synonyms**

SBF; STAF; pHZ-1; ZNF143

## **Contact**

<u>a</u>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
$\odot$	www.abclonal.com.cn

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20  $^{\circ}\text{C}.$  Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of various lysates using ZNF143 Rabbit pAb (A17549) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit lgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins:  $25\mu g$  per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.