ARRDC4 Rabbit pAb

Catalog No.: A18522 1 Publications



Basic Information

Observed MW

45kDa

Calculated MW

45kDa

Category

Primary antibody

Applications

WB,ELISA

Cross-Reactivity

Human

Background

Predicted to enable ubiquitin ligase-substrate adaptor activity. Acts upstream of or within positive regulation of ubiquitin-protein transferase activity. Located in endosome and plasma membrane.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting

concentration is 1 µg/mL.

Please optimize the
concentration based on
your specific assay

requirements.

Immunogen Information

Gene ID91947

Swiss Prot
Q8NCT1

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

ARRDC4

Contact

a	400-999-6126
×	cn.market@abclonal.com.cn
	www.abclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from PC-3 cells, using ARRDC4 pAb (A18522) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: $25\mu g$ per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.