# CD40L Rabbit mAb

Catalog No.: A19019 Recombinant 1 Publications



## **Basic Information**

#### **Observed MW**

36kDa

## **Calculated MW**

29kDa

## Category

Primary antibody

## **Applications**

ELISA,WB

#### **Cross-Reactivity**

Mouse, Rat

#### CloneNo number

ARC0399

# **Background**

The protein encoded by this gene is expressed on the surface of T cells. It regulates B cell function by engaging CD40 on the B cell surface. A defect in this gene results in an inability to undergo immunoglobulin class switch and is associated with hyper-IgM syndrome.

# **Recommended Dilutions**

**WB** 

1:500 - 1:1000

# **Immunogen Information**

Gene ID 959 Swiss Prot P29965

**Immunogen**A synthetic peptide corresponding to a sequence within amino acids 50-150 of human CD40L (P29965).

## **Synonyms**

IGM; IMD3; TRAP; gp39; CD154; CD40L; HIGM1; T-BAM; TNFSF5; hCD40L

## **Contact**

<b>a</b>	400-999-6126
$\sim$	cn.market@abclonal.com.cn
<b>⊙</b>	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

## **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.



Western blot analysis of extracts of various cell lines, using CD40L antibody (A19019) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.