

Cip4 Rabbit mAb

Catalog No.: A20891 **Recombinant**

Basic Information

Observed MW

76kDa

Calculated MW

68kDa

Category

Primary antibody

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse

CloneNo number

ARC2844

Background

Enables identical protein binding activity. Predicted to be involved in actin cytoskeleton organization; endocytosis; and signal transduction. Located in nucleoplasm. Biomarker of Huntington's disease.

Recommended Dilutions

WB 1:100 - 1:500

ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

9322

Swiss Prot

Q15642

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

STP; CIP4; HSTP; STOT; TRIP-10; Cip4

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol and 0.05% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates, using Cip4 Rabbit mAb (A20891) at 1:500 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 60s.