ABclonal www.abclonal.com

ABflo® 488 Rabbit anti-Mouse CD117/c-Kit mAb

Catalog No.: A23581

Basic Information

Observed MW

Calculated MW

22kDa/108kDa/109kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC60551

Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

Background

The c-Kit proto-oncogene is the cellular homolog of the transforming gene of a feline retrovirus (v-Kit). The c-kit protein includes characteristics of a protein kinase transmembrane receptor. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID 16590

Swiss Prot

P05532

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

W; Bs; Fdc; Ssm; SCO1; SCO5; SOW3; CD117; c-KIT; Tr-kit; Gsfsco1; Gsfsco5; Gsfsow3

Contact

a	400-999-6126
\bowtie	cn.market@abclonal.com.cn
$\overline{\alpha}$	www.abclonal.com.cn

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data









Flow cytometry:1X10^6 293F cells(negative control,left) and 293F(Transfection,right) cells were surface-stained with ABflo® 488 Rabbit anti-Mouse CD117/c-Kit mAb(A23581,5 µl/Test,orange line) or ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,blue line).Non-fluorescently stained cells was used as blank control (red line).

Flow cytometry:1X10^6 293F(Transfection) cells were surface-stained with ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,left) or ABflo® 488 Rabbit anti-Mouse CD117/c-Kit mAb(A23581,5 µl/Test,right).