# ZNF76 Rabbit pAb

Catalog No.: A24491



## **Basic Information**

#### **Observed MW**

62kDa

#### **Calculated MW**

56kDa/61kDa

#### Category

Primary antibody

## **Applications**

WB,ELISA

#### **Cross-Reactivity**

Mouse, Rat

## **Background**

Enables DNA-binding transcription activator activity, RNA polymerase II-specific and sequence-specific double-stranded DNA binding activity. Involved in positive regulation of transcription by RNA polymerase II. Predicted to be located in nucleus.

## **Recommended Dilutions**

**WB** 1:1000 - 1:5000

**ELISA** 

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

# **Immunogen Information**

**Gene ID**7629

Swiss Prot
P36508

#### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

## **Synonyms**

ZNF76; D6S229E; ZNF523; Zfp523; zinc finger protein 76

## **Contact**

2		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20  $^{\circ}\text{C}.$  Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Western blot analysis of lysates from Mouse testis, using ZNF76 Rabbit pAb (A24491) at 1:2000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.