www.abclonal.com

ABclonal

ABflo® 647 Rabbit anti-Human CD99 mAb

Catalog No.: A25832

Basic Information

Observed MW

Calculated MW

19kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC67259-ABflo647

Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

Background

The protein encoded by this gene is a cell surface glycoprotein involved in leukocyte migration, T-cell adhesion, ganglioside GM1 and transmembrane protein transport, and T-cell death by a caspase-independent pathway. In addition, the encoded protein may have the ability to rearrange the actin cytoskeleton and may also act as an oncosuppressor in osteosarcoma. This gene is found in the pseudoautosomal region of chromosomes X and Y and escapes X-chromosome inactivation. There is a related pseudogene located immediately adjacent to this locus.

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID 4267 **Swiss Prot**

P14209

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 24-123 of human CD99 (NP_002405.1).

Synonyms

MIC2; HBA71; MIC2X; MIC2Y; MSK5X

Contact

2		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification


Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data







Flow cytometry: 1X10^6 U266 cells (negative control,left) and Jurkat cells (right) were surface-stained with ABflo® 647 Rabbit anti-Human CD99 mAb (A25832,5 µl/Test,orange line) or ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,blue line). Non-fluorescently stained cells were used as blank control (red line).

Flow cytometry: 1X10^6 Jurkat cells were surface-stained with ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,left) or ABflo® 647 Rabbit anti-Human CD99 mAb (A25832,5 µl/Test,right).