PE Rabbit anti-Mouse CD79b mAb

www.abclonal.com

ABclonal

Catalog No.: A25886

Basic Information

Observed MW

Calculated MW

25kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC66113

Conjugate

PE. Ex:565nm. Em:574nm.

Background

The B lymphocyte antigen receptor is a multimeric complex that includes the antigen-specific component, surface immunoglobulin (Ig). Surface Ig non-covalently associates with two other proteins, Ig-alpha and Ig-beta, which are necessary for expression and function of the B-cell antigen receptor. This gene encodes the Ig-beta protein of the B-cell antigen component. Alternatively spliced transcript variants encoding different isoforms have been described.

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID 15985

Swiss Prot

P15530

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

B29; Igb; Igbeta; Ig-beta

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
\odot	www.abclonal.com.cn

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data









Flow cytometry: 1X10^6 C2C12 cells (negative control,left) and C57BL/6 mouse splenocytes (right) were surface-stained with PE Rabbit anti-Mouse CD79b mAb (A25886,5 µl/Test,orange line) or PE Rabbit IgG isotype control (A24172,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).

Flow cytometry: 1X10^6 C57BL/6 mouse splenocytes were surface-stained with PE Rabbit IgG isotype control (A24172,5 μ I/Test,left) or PE Rabbit anti-Mouse CD79b mAb (A25886,5 μ I/Test,right).