

PE Rabbit anti-Mouse CD96/TACTILE mAb

Catalog No.: A26000

Basic Information

Observed MW

Calculated MW

67kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC63717

Conjugate

PE. Ex:565nm. Em:574nm.

Recommended Dilutions

FC 5 μ l per 10^6 cells in
100 μ l volume

Background

Acts upstream of or within negative regulation of interferon-gamma production; negative regulation of natural killer cell cytokine production; and response to lipopolysaccharide. Predicted to be located in cytoplasm. Is expressed in several structures, including blood; central nervous system; ganglia; heart; and lung. Human ortholog(s) of this gene implicated in C syndrome. Orthologous to human CD96 (CD96 molecule).

Immunogen Information

Gene ID

84544

Swiss Prot

Q3U0X8

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

Tactile; 1700109112Rik

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data



Flow cytometry: 1×10^6 C2C12 cells (negative control, left) and C57BL/6 mouse splenocytes (right) were surface-stained with PE Rabbit anti-Mouse CD96/TACTILE mAb (A26000, 5 μ l/Test, orange line) or PE Rabbit IgG isotype control (A24172, 5 μ l/Test, blue line). Non-fluorescently stained cells were used as blank control (red line).