# PE/Cyanine7 Rabbit anti-Human AXL mAb

ABclonal www.abclonal.com

Catalog No.: A28128

## **Basic Information**

#### **Observed MW**

**Calculated MW** 

98kDa

Category

Primary antibody

**Applications** 

ГC

**Cross-Reactivity** 

Human

CloneNo number

ARC53013

Conjugate

PE-Cy7. Ex:565nm. Em:778nm.

# **Background**

The protein encoded by this gene is a member of the Tyro3-Axl-Mer (TAM) receptor tyrosine kinase subfamily. The encoded protein possesses an extracellular domain which is composed of two immunoglobulin-like motifs at the N-terminal, followed by two fibronectin type-III motifs. It transduces signals from the extracellular matrix into the cytoplasm by binding to the vitamin K-dependent protein growth arrest-specific 6 (Gas6). This gene may be involved in several cellular functions including growth, migration, aggregation and anti-inflammation in multiple cell types. The encoded protein acts as a host cell receptor for multiple viruses, including Marburg, Ebola and Lassa viruses and is a candidate receptor for the SARS-CoV2 virus.

# **Recommended Dilutions**

FC

5 μl per 10^6 cells in 100 μl volume

# Immunogen Information

Gene ID 558 **Swiss Prot** 

P30530

#### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

## **Synonyms**

ARK; UFO; JTK11; Tyro7

## **Contact**

| 2         |   | 400-999-6126              |
|-----------|---|---------------------------|
| $\bowtie$ |   | cn.market@abclonal.com.cn |
| •         | T | www.abclonal.com.cn       |


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.



Flow cytometry: 1X10^6 Human PBMC were surface stained with ABflo® 488 Rabbit anti-Human/Monkey CD3 mAb (A26283,5 μL/Test), ABflo® 488 Rabbit anti-Human/Monkey CD19 mAb (A23008,5 μL/Test), ABflo® 488 Rabbit anti-Human/Monkey CD14 mAb (A25071,5 μL/Test), ABflo® 488 Mouse anti-Human CD15/SSEA-1 mAb (A26929,5 µL/Test), ABflo® 450 Rabbit anti-Human CD303/BDCA-2 mAb (A27911,5  $\mu$ L/Test) and PE/Cyanine7 Rabbit IgG isotype control (5  $\mu$ l/Test,left) or PE/Cyanine7 Rabbit anti-Human AXL mAb (A28128,5 µl/Test,right). The CD3-CD19-CD14-CD15- population was used for analysis.