# PE Rabbit anti-Mouse IL4 mAb

Catalog No.: A28465



### **Basic Information**

### **Observed MW**

#### **Calculated MW**

16 kDa

## Category

Primary antibody

### **Applications**

FC (intra)

## **Cross-Reactivity**

Mouse

#### CloneNo number

ARC56653

### Conjugate

PE. Ex:565nm. Em:574nm.

# **Background**

IL-4 is a pleiotropic cytokine produced by activated T cells, mast cells, and basophils. It serves as a potent lymphocyte growth factor that stimulates the growth and activation of certain B and T cells. IL-4 plays a critical role in regulating the development of T helper cell subsets.

## **Recommended Dilutions**

FC (intra)

≤0.5 µg per million cells in 100 µl volume

# **Immunogen Information**

**Gene ID** 16189

**Swiss Prot** 

P07750

#### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

### **Synonyms**

II-4; BSF-1

## **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	Т	www.abclonal.com.cn

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

# **Validation Data**



Flow cytometry:  $1\times10^6$  Th2-polarized C57BL/6 mouse splenocytes (treated with 50ng/ml PMA+1µg/ml lonomycin+1µg/ml Brefeldin A or 2µM Monensin for 6 hours) were surface-stained with ABflo® 450 Rabbit anti-Mouse CD4 mAb (A25941,5 µl/Test) and then intracellularly-stained with PE Rabbit lgG isotype control (A24172,5 µl/Test,left) or PE Rabbit anti-Mouse IL4 mAb (A28465,0.5 µg,right).