

PerCP/Cyanine5.5 Rabbit anti-NHP CD45 mAb

Catalog No.: A28683

Basic Information

Observed MW

Calculated MW

148 kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Cynomolgus, Rhesus

CloneNo number

ARC79398

Conjugate

PerCP-Cy5.5. Ex:482nm. Em:695nm.

Background

CD45 is a receptor-type protein tyrosine phosphatase, also known as Ly-5 or the leukocyte common antigen. It functions primarily by regulating the activation of Src family protein tyrosine kinases, such as Lck and Fyn, thereby initiating T cell receptor signaling. Deficiency in CD45 results in dysfunctional T and B lymphocytes, leading to severe combined immunodeficiency. Furthermore, CD45 plays a significant role in the pathogenesis of autoimmune diseases, cancer, and infectious diseases, including fungal infections.

Recommended Dilutions

FC 5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID

102116047

Swiss Prot

A0A2K5VQ77

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

Pan Leukocyte; NHP-specific; PTPRC; LCA; L-CA; Leukocyte Common Ag

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data



Flow cytometry:1X10⁶ Human PBMC (negative control,left) and Rhesus PBMC (right) were surface-stained with PerCP/Cyanine5.5 Rabbit anti-NHP CD45 mAb (A28683,5 µl/Test,right). Cells in the lymphocyte gate were used for analysis.

Flow cytometry:1X10⁶ Human PBMC (negative control,left) and Cynomolgus PBMC (right) were surface-stained with PerCP/Cyanine5.5 Rabbit anti-NHP CD45 mAb (A28683,5 µl/Test,right). Cells in the lymphocyte gate were used for analysis.