# **DNM1** Rabbit pAb

Catalog No.: A2902



## **Basic Information**

#### **Observed MW**

110kDa

#### **Calculated MW**

97kDa

### Category

Primary antibody

#### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Mouse, Rat

# **Background**

This gene encodes a member of the dynamin subfamily of GTP-binding proteins. The encoded protein possesses unique mechanochemical properties used to tubulate and sever membranes, and is involved in clathrin-mediated endocytosis and other vesicular trafficking processes. Actin and other cytoskeletal proteins act as binding partners for the encoded protein, which can also self-assemble leading to stimulation of GTPase activity. More than sixty highly conserved copies of the 3' region of this gene are found elsewhere in the genome, particularly on chromosomes Y and 15. Alternatively spliced transcript variants encoding different isoforms have been described.

### **Recommended Dilutions**

**WB** 

1:500 - 1:1000

# **Immunogen Information**

**Gene ID** 

**Swiss Prot** 

1759

Q05193

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 400-490 of human DNM1 (NP\_004399.2).

### **Synonyms**

DNM; DEE31; EIEE31; DNM1

### **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	1	www.abclonal.com.cn

### **Product Information**


**Purification** Source Isotype Rabbit IgG Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of various lysates using DNM1 Rabbit pAb (A2902) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.