

ARHGAP1 Rabbit pAb

Catalog No.: A3739

Basic Information

Observed MW

50kDa

Calculated MW

50kDa

Category

Primary antibody

Applications

WB, IP, ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

This gene encodes a member of a large family of proteins that activate Rho-type guanosine triphosphate (GTP) metabolizing enzymes. The encoded protein contains a SRC homology 3 domain and interacts with Bcl-2-associated protein family members.

Recommended Dilutions

WB 1:500 - 1:2000

IP 0.5µg-4µg antibody for
200µg-400µg extracts of
whole cells

ELISA Recommended starting
concentration is 1 µg/mL.
Please optimize the
concentration based on your
specific assay requirements.

Immunogen Information

Gene ID

392

Swiss Prot

Q07960

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

RHOGAP; RHOGAP1; CDC42GAP; p50rhoGAP; ARHGAP1

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG


Purification

Affinity purification


Storage

Store at -20°C

Validation Data



Immunoprecipitation analysis of 200 µg extracts of HeLa cells, using 3 µg ARHGAP1 antibody (A3739). Western blot was performed from the immunoprecipitate using ARHGAP1 antibody (A3739) at a dilution of 1:1000.



Western blot analysis of various lysates using ARHGAP1 Rabbit pAb (A3739) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 15s.