

MORF4L1 Rabbit pAb

Catalog No.: A7071

Basic Information

Observed MW

41kDa

Calculated MW

41kDa

Category

Primary antibody

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

Enables protein N-terminus binding activity. Involved in double-strand break repair via homologous recombination and histone modification. Located in nuclear speck. Part of NuA4 histone acetyltransferase complex and Sin3 complex.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

10933

Swiss Prot

Q9UBU8

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

Eaf3; MEAF3; MRG15; FWP006; S863-6; HsT17725; MORFRG15; MORF4L1

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of various lysates using MORF4L1 Rabbit pAb (A7071) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Enhanced Kit (RM00021).
Exposure time: 90s.