

BAF250 Rabbit pAb

Catalog No.: A7607 **1 Publications**

Basic Information

Observed MW

Calculated MW

242kDa

Category

Primary antibody

Applications

IHC-P,ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

Enables ATP-dependent chromatin remodeler activity. Contributes to nucleosome binding activity. Acts upstream of or within several processes, including animal organ development; embryonic morphogenesis; and toxin transport. Located in chromatin. Part of SWI/SNF complex; nBAF complex; and npBAF complex. Is expressed in several structures, including alimentary system; brain; early conceptus; genitourinary system; and sensory organ. Used to study Coffin-Siris syndrome. Human ortholog(s) of this gene implicated in Coffin-Siris syndrome 2; breast cancer; carcinoma (multiple); gastrointestinal system cancer (multiple); and neuroblastoma. Orthologous to human ARID1A (AT-rich interaction domain 1A).

Recommended Dilutions

IHC-P 1:50 - 1:200

ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

93760

Swiss Prot

A2BH40

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

Osa1; BAF250; BAF250a; Smarcf1; 1110030E03Rik

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification

Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.