# MTERFD1 Rabbit pAb

Catalog No.: A9804



## **Basic Information**

#### **Observed MW**

48kDa

### **Calculated MW**

48kDa

### Category

Primary antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Human, Mouse

## **Background**

Enables transcription cis-regulatory region binding activity. Involved in negative regulation of transcription, DNA-templated. Located in cytosol and mitochondrion.

## **Recommended Dilutions**

**WB** 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL.
Please optimize the

concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID Swiss Prot** 51001 Q96E29

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

## **Synonyms**

CGI-12; MTERFD1

### **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\overline{a}$	ı	www.ahclonal.com.cn

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

## **Validation Data**



Western blot analysis of various lysates using MTERFD1 Rabbit pAb (A9804) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.