

# Magnetic Beads-conjugated mouse IgG isotype control www.abclonal.com pAb,glycerol free

Catalog No.: AC044N

### **Basic Information**

### **Background**

**Observed MW** 

**Calculated MW** 

Category

Loading control antibody

**Applications** 

IΡ

**Cross-Reactivity** 

## **Recommended Dilutions**

ΙP

30ul antibody (bead slurry) for 200µg-400µg extracts of whole cells

## **Immunogen Information**

Gene ID

**Swiss Prot** 

**Immunogen** 

This information is considered to be commercially sensitive.

**Synonyms** 

#### **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	Т	www.abclonal.com.cn


# **Product Information**

SourceIsotypePurificationMouseIgGPotein A/G purification

#### **Storage**

Store at 4°C Avoid freeze / thaw cycles.

Buffer: PBS, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.



Immunoprecipitation analysis of 300 ug extract cell lysate from 293T cells transfected with GSK3B expression vector containing a C-terminal DDDDK tag (1x) with 30uL Magnetic Beads-conjugated Mouse anti-DDDDK-tag mAb antibody[AE037). Magnetic Beads-conjugated mouse IgG isotype control pAb (AC044N) was used as a negative control. Western blot was performed from the immunoprecipitate using Rabbit anti DDDDK-Tag mAb antibody (AE092) at 1:10000 dilution. Secondary antibody: HRP-conjugated AffiniPure Mouse Anti-Rabbit IgG Light Chain (AS061).