

Magnetic Beads-conjugated Rabbit anti GFP-Tag mAb

Catalog No.: AE118 1 Publications

Basic Information

Observed MW

Refer to figures

Calculated MW

Category

Tag antibody

Applications

IΡ

Cross-Reactivity

Species independent

CloneNo number

ARC50813

Conjugate

Magnetic Beads

Background

The green fluorescent protein (GFP) is a protein composed of 238 amino acid residues (26.9 kDa) that exhibits bright green fluorescence when exposed to light in the blue to ultraviolet range. Although many other marine organisms have similar green fluorescent proteins, GFP traditionally refers to the protein first isolated from the jellyfish Aequorea victoria. The GFP from A. victoria has a major excitation peak at a wavelength of 395 nm and a minor one at 475 nm. Its emission peak is at 509 nm, which is in the lower green portion of the visible spectrum. The fluorescence quantum yield (QY) of GFP is 0.79. The GFP from the sea pansy (Renilla reniformis) has a single major excitation peak at 498 nm. GFP makes for an excellent tool in many forms of biology due to its ability to form internal chromophore without requiring any accessory cofactors, gene products, or enzymes / substrates other than molecular oxygen.In cell and molecular biology, the GFP gene is frequently used as a reporter of expression.

Recommended Dilutions

ΙP

20µl-40µl Magnetic Beads for 100µg-300µg extracts of whole cells

Immunogen Information

Gene ID

Swiss Prot

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

GFP;GFP tag;GFP-tag

Contact


6		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 4°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.09% Sodium azide,pH7.3.



Immunoprecipitation of SERPINB1-GFP in 150 μg extracts from 293F cells transfected with SERPINB1-GFP using 20 μl Magnetic Beads-conjugated Rabbit anti GFP-Tag mAb (AE118). Western blot analysis was performed using HRP-conjugated Mouse anti GFP-Tag mAb (AE030) at 1:5000 dilution.