

TUBB3 Knockdown HeLa Cell Lysate, Heterozygous

Catalog No.: RM02073

Basic Information

Catalog No.

RM02073

Category

Cell Lysate

Parental Cell line

HeLa

Genotype

Knockdown

Background

This gene encodes a class III member of the beta tubulin protein family. Beta tubulins are one of two core protein families (alpha and beta tubulins) that heterodimerize and assemble to form microtubules. This protein is primarily expressed in neurons and may be involved in neurogenesis and axon guidance and maintenance. Mutations in this gene are the cause of congenital fibrosis of the extraocular muscles type 3. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found on chromosome 6. [provided by RefSeq, Oct 2010]

Gene Information

Gene Symbol

TUBB3

Species

Human

Gene ID

10381

Swiss Prot

Q13509

Synonyms

CDCBM; CDCBM1; CFEOM3; CFEOM3A; FEOM3; TUBB4; beta-4

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Product Information

Description

TUBB3 Knockdown HeLa Cell Line is engineered from HeLa cell line with Gene-Editing technology.

Allele-1:120bp deletion and 31bp insertion in exon2

Allele-2:117bp deletion in exon2

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping Conditions Amount 4° C 50μ L, 2μ g/ μ L.

Storage

Lysate is stable for 12 months when stored at -20 $^{\circ}\text{C}.$ Minimizing freeze-thaw cycles.

Protocol

To be used as WB control. Lysate is supplied in $1\times$ SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

CAAGGGTCACTACA********TGGGCACGTTGCTC Mut CAAGGGTCACTACA***Deletion***TGGGCACGTTGCTC Allele-1: 120bp deletion and 31bp insertion in exon2

WT GGGTCACTACACGG********TGGGCACGTTGCTC Mut GGGTCACTACACGG***Deletion***TGGGCACGTTGCTC

Allele-2: 117bp deletion in exon2

Genome sequence analysis of PCR products from parental (WT) and TUBB3 Knockdown (KD) HeLa cells, using sanger sequencing.