

CHD1 Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM02398

Basic Information

Catalog No.

RM02398

Category

Cell Lysate

Parental Cell line

293T

Genotype

Knockout

Background

The CHD family of proteins is characterized by the presence of chromo (chromatin organization modifier) domains and SNF2-related helicase/ATPase domains. CHD genes alter gene expression possibly by modification of chromatin structure thus altering access of the transcriptional apparatus to its chromosomal DNA template. [provided by RefSeq, Jul 2008]

Gene Information

Gene Symbol

CHD1

Species

Human

Gene ID

1105

Swiss Prot

014646

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Product Information

Description

CHD1 Knockout 293T Cell Line is engineered from 293T cell line with Gene-Editing technology.

Allele-1:67bp deletion in exon2

Allele-2:67bp deletion in exon2

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping Conditions 4°C

Amount 50μL, 2μg/μL.

4 (

Storage

Lysate is stable for 12 months when stored at -20 $^{\circ}$ C. Minimizing freeze-thaw cycles.

To be used as WB control. Lysate is supplied in $1\times$ SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

WT ACTCCGGATCTGAA***********AAGTTGATGGAGCT
Mut ACTCCGGATCTGAA***Deletion***AAGTTGATGGAGCT
Allele-1: 67bp deletion in exon2

WT ACTCCGGATCTGAA********AAGTTGATGGAGCT
Mut ACTCCGGATCTGAA***Deletion***AAGTTGATGGAGCT

Allele-2: 67bp deletion in exon2

Genome sequence analysis of PCR products from parental (WT) and CHD1 knockout (KO) 293T cells, using sanger sequencing.