

# MAP1LC3B Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM50133

## **Basic Information**

#### Catalog No.

RM50133

## Category

Cell Lysate

# **Parental Cell line**

293T

## Genotype

Knockout

# **Background**

The product of this gene is a subunit of neuronal microtubule-associated MAP1A and MAP1B proteins, which are involved in microtubule assembly and important for neurogenesis. Studies on the rat homolog implicate a role for this gene in autophagy, a process that involves the bulk degradation of cytoplasmic component.

#### **Gene Information**

## **Gene Symbol**

MAP1LC3B

# **Species**

Human

## **Gene ID**

81631

#### **Swiss Prot**

Q9GZQ8

# **Synonyms**

LC3B; ATG8F; MAP1LC3B-a; MAP1A/1BLC3; 3B

## **Contact**

<b>a</b>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

## **Product Information**

## **Description**

 $\ensuremath{\mathsf{MAP1LC3B}}$  Knockout cell line is engineered from 293T cell line with Gene-Editing Technology.

Allele-1:exon2 was deleted

Allele-2:exon2 was deleted

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

# **Packaging**

1 vial parental cell Lysate and 1 vial knockout cell Lysate

# **Shipping Conditions**

Amount

4°C

 $50\mu L$ ,  $2\mu g/\mu L$ .

#### Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

#### **Protocol**

To be used as WB control. Lysate is supplied in  $1\times$  SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

# Sequencing data

WT TGTGCCACAGC\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*AGAGGAGAGCA
Mut TGTGCCACAGC\*\*\*Deletion(189bp)\*\*\*AGAGGAGAGCA
Allele-1: exon2 was deleted

WT TCTGCTGTGCC\*CAGAGGAGAGC
Mut TCTGCTGTGCC\*\*\*Deletion(193bp)\*\*CAGAGGAGAGC

Allele-2: exon2 was deleted

Genome sequence analysis of PCR products from parental (WT) and MAP1LC3B knockout (KO) 293T cells, using sanger sequencing.