

Recombinant Human Galectin-1/LGALS1 Protein

Catalog No.: RP00007 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 3956 P09382

Tags

No tag

Synonyms

GAL1; GBP;LGALS1; GAL1; galectin-1;GBP;Galectin 1/LGALS1

Product Information

Source Purification
E. coli > 95% by SDSPAGE.

Endotoxin

< 0.1 EU/ μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Galectin-1, also known as LGALS1 (lectin, galactoside-binding, soluble 1), is a 135 amino acid (aa), 14 kDa, pleiotropic, Non-glycosylated, monomeric or homodimeric carbohydrate-binding protein of the prototype galectin family. Galectins lack a classical signal peptide and can be localized to the cytosolic compartments, or secreted by non-classical pathways. Secreted Galectin-1 has immunosuppressive and anti-inflammatory properties and suppresses acute and chronic inflammation and autoimmunity. It contributes to negative selection of developing T cells, immunosuppression by regulatory T cells, resolution of the inflammatory response, and inhibition of immune cell migration, inflammatory cytokine production, and mast cell degranulation. Galectin-1 contributes to different steps of tumour progression including cell adhesion, migration and tumour-immune escape, suggesting that blockade of galectin-1 might result in therapeutic benefits in cancer. Several potential glycoprotein ligands for galectin-1 have been identified, including lysosome-associated membrane glycoproteins and fibronectin, laminin, as well as T-cell glycoproteins CD43 and CD45. Evidence points to Gal-1 and its ligands as one of the master regulators of such immune responses as T-cell homeostasis and survival, T-cell immune disorders, inflammation and allergies as well as host-pathogen interactions.

Basic Information

Description

Recombinant Human Galectin-1/LGALS1 Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Ala2-Asp135) of human Galectin-1 (Accession #NP_002296.1).


Bio-Activity

Measured by its ability to agglutinate mouse red blood cells. The ED $_{50}$ for this effect is 0.5-3 $\mu g/mL$.


Storage

Store the lyophilized protein at -20° C to -80° C for long term. After reconstitution, the protein solution is stable at -20° C for 3 months, at 2-8 °C for up to 1 week. Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human Galectin-1/LGALS1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 14 kDa.



Immobilized recombinant Human Galectin-1 at $0.5\mu g/mL$ (100 $\mu L/well$) can bind Galectin-1 Rabbit mAb with a linear range of 0.7-1.8 ng/mL.