

# Recombinant Human BID Protein

Catalog No.: RP00021 **Recombinant**

## Sequence Information

Species	Gene ID	Swiss Prot
Human	637	P55957

### Tags

C-His

### Synonyms

BID;FP497

## Product Information

Source	Purification
<i>E. coli</i>	≥ 95 % as determined by SDS-PAGE.

Calculated MW	Observed MW
22.84 kDa	18-25 kDa

### Endotoxin

&lt; 0.1 EU/μg of the protein by LAL method.

### Formulation

Lyophilized from a 0.22 μm filtered solution of 50mM Tris, 150mM NaCl, pH 8.0. Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## Contact

 | 400-999-6126 | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

## Background

The BH3 interacting domain death agonist (BID) is a pro-apoptotic member of the Bcl-2 protein family, which contains only the BH3 domain, and is required for its interaction with the Bcl-2 family proteins and for its pro-death activity. BID is important to cell death mediated by these proteases and thus is the sentinel to protease-mediated death signals. It is a mediator of mitochondrial damage induced by caspase-8 (CASP8); CASP8 cleaves this encoded protein, and the COOH-terminal part translocates to mitochondria where it triggers cytochrome c release.

## Basic Information

### Description

Recombinant Human BID Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Met1-Asp195) of human BID (Accession #NP\_001187.1) fused with a 6×His tag at the C-terminus.

### Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human BID at 2 μg/mL (100 μL/well) can bind BCL-XL with a linear range of 0.195-4.94 ng/mL.

### Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

### Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


### Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.




## Validation Data

---



Recombinant Human BID Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Human BID at 2  $\mu\text{g/mL}$  (100  $\mu\text{L/well}$ ) can bind BCL-XL with a linear range of 0.195-4.94 ng/mL.