

# Recombinant Human PDGFR-beta/CD140b(E241D) Protein

Catalog No.: RP00126 Recombinant

# **Sequence Information**

Species Gene ID Swiss Prot Human 5159 P09619

Tags

C-hFc&His

**Synonyms** 

CD140B;IBGC4;IMF1;JTK12;KOGS;PDGFR; PDGFR-1;PDGFR1;PENTT;PDGF Receptor beta;PDGFRB;PDGFR beta

## **Product Information**

Source Purification

HEK293 cells  $\geq$  90% as determined by SDS-PAGE; $\geq$  90% as

determined by HPLC.

Calculated MW Observed MW

82.86 kDa 110-140

#### **Endotoxin**

 $< 0.1 \; \text{EU/}\mu\text{g}$  of the protein by LAL method.

# **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact

8		400-999-6126
$\times$	Т	cn.market@abclonal.com.cn

# **Background**

The protein is a cell surface tyrosine kinase receptor for members of the platelet-derived growth factor family. These growth factors are mitogens for cells of mesenchymal origin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-derived growth factor receptor alpha and beta polypeptides. This gene is flanked on chromosome 5 by the genes for granulocyte-macrophage colony-stimulating factor and macrophage-colony stimulating factor receptor; all three genes may be implicated in the 5-q syndrome. A translocation between chromosomes 5 and 12, that fuses this gene to that of the translocation, ETV6, leukemia gene, results in chronic myeloproliferative disorder with eosinophilia.

#### **Basic Information**

#### Description

Recombinant Human PDGFR-beta/CD140b(E241D) Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Leu33-Phe530 (Glu241Asp)) of human PDGFRB/CD140b (Accession  $\#NP_002600.1$ ) fused with an Fc,  $6\times His$  tag at the C-terminus.

#### **Bio-Activity**

Measured by its binding ability in a functional ELISA. Immobilized recombinant Human PDGF-B at 2  $\mu$ g/mL (100  $\mu$ L/well) can bind recombinant Human PDGFRB. The EC<sub>50</sub> of Human PDGFRB is 30.48 ng/mL.

#### **Shipping**

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

## **Storage**

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20  $^{\circ}$ C for 3 months, at 2-8  $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.


#### **Operational Notes**

For your safety and health, please wear a lab coat and disposable gloves for handling.


# **Validation Data**



Recombinant Human PDGFRbeta/CD140b(E241D) Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



The purity of Human PDGFRB/CD140b Protein (Cat.RP00126) was greater than 90% as determined by SEC-HPLC.



Immobilized recombinant Human PDGF-B at  $2\mu g/mL$  (100  $\mu L/well)$  can bind recombinant Human PDGFRB, the EC $_{50}$  of Human PDGFRB is 30.48 ng/mL.