

Recombinant Human LIMP II/SCARB2/CD36L2 Protein

Catalog No.: RP00135 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	950	Q14108

Tags

C-His

Synonyms

AMRF; CD36L2; EPM4; HLGP85; LGP85;
LIMP-2; LIMPII; SR-
BII; SCARB2; CD36L2; EPM4; HLGP85; LGP85
;LIMP-2; LIMPII; SR-BII

Product Information

Source	Purification
HEK293 cells	> 95% by SDS- PAGE.

Endotoxin

< 0.1 EU/μg of the protein by LAL
method.

Formulation

Lyophilized from a 0.22 μm filtered
solution of PBS, pH 7.4. Contact us for
customized product form or formulation.

Reconstitution

Centrifuge the vial before opening.
Reconstitute to a concentration of
0.1-0.5 mg/mL in sterile distilled water.
Avoid vortex or vigorously pipetting the
protein. For long term storage, it is
recommended to add a carrier protein or
stabilizer (e.g. 0.1% BSA, 5% HSA, 10%
FBS or 5% Trehalose), and aliquot the
reconstituted protein solution to
minimize free-thaw cycles.

Background

The protein encoded by this gene is a type III glycoprotein that is located primarily in limiting membranes of lysosomes and endosomes. Earlier studies in mice and rat suggested that this protein may participate in membrane transportation and the reorganization of endosomal/lysosomal compartment. The protein deficiency in mice was reported to impair cell membrane transport processes and cause pelvic junction obstruction, deafness, and peripheral neuropathy. Further studies in human showed that this protein is a ubiquitously expressed protein and that it is involved in the pathogenesis of HFMD (hand, foot, and mouth disease) caused by enterovirus-71 and possibly by coxsackievirus A16. Mutations in this gene caused an autosomal recessive progressive myoclonic epilepsy-4 (EPM4), also known as action myoclonus-renal failure syndrome (AMRF). Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Basic Information

Description

Recombinant Human LIMP II/SCARB2/CD36L2 Protein is produced by HEK293
expression system. The target protein is expressed with sequence (Arg27-Thr432) of
human SCARB2 (Accession #NP_005497.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human SCARB2 at
0.5 μg/mL (100 μL/well) can bind SCARB2 Rabbit mAb with a linear range of 0.2-1.2
ng/mL.


Storage

Store the lyophilized protein at -20°C to -80 °C for long term.
After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for
up to 1 week.
Avoid repeated freeze/thaw cycles.


Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Validation Data



Recombinant Human LIMP II/SCARB2/CD36L2 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 68 kDa.



Immobilized recombinant Human SCARB2 at 0.5µg/mL (100 µL/well) can bind SCARB2 Rabbit mAb with a linear range of 0.2-1.2 ng/mL.