

Recombinant Human TNFRSF9/4-1BB/CD137 Protein

Catalog No.: RP00276 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 3604 007011-1

Tags

C-hFc&His

Synonyms

TNFRSF9;4-1BB;CD137;CDw137;ILA

Product Information

Source Purification

HEK293 cells ≥ 95 % as determined by SDS-

PAGE.

Calculated MW Observed MW

44.07 kDa 55-70 kDa

Endotoxin

< 0.1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human TNFRSF9/4-1BB/CD137 Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Leu 24 - Gln 186) of human 4-1BB/CD137 (Accession #NP_001552) fused with an Fc, $6 \times$ His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human TNFSF9 at 2 μ g/mL (100 μ L/well) can bind Human TNFRSF9 with a linear range of 0.1-12.9 ng/mL.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Human TNFRSF9/4-1BB/CD137 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Human TNFSF9 at 2 μ g/mL (100 μ L/well) can bind Human TNFRSF9 with a linear range of 0.1-12.9 η g/mL.