

Biotinylated Recombinant Human IL-1 beta Protein

Catalog No.: RP00454B Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 3553 P01584

Tags C-His&Avi

Synonyms

Interleukin-1 beta; IL-1 beta; IL1F2; IL1B; IL-1BETA; IL1F2; IL-1 β ; IL-1 beta; IL-1B; IL-1 β ; IL-1 β ; IL-1 β ; IL-1 β

Product Information

Source Purification *E. coli* ≥ 95 % as

≥ 95 % as determined by SDS-PAGE;≥ 95 % as determined by HPLC.

Calculated MW Observed MW

20.1 kDa 20 kDa

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

 6
 400-999-6126

 ✓
 cn.market@abclonal.com.cn

Background

Interleukin-1 beta (IL-1 β) is induced by inflammatory signals in a broad number of immune cell types. IL-1 β (and IL-18) are the only cytokines which are processed by caspase-1 after inflammasome-mediated activation. IL-1 signaling activates innate immune cells including antigen presenting cells, and drives polarization of CD4 T cells towards T helper type (Th) 1 and Th17 cells.

Basic Information

Description

Biotinylated Recombinant Human IL-1 beta Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Ala117-Ser269) of Human IL-1 Beta/IL-1F2 (Accession #P01584) fused with a C-His&Avi tag at the C-terminus.

Bio-Activity


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Validation Data



Biotinylated Recombinant Human IL-1 beta Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Biotinylated Human IL-1 Beta is greater than 95% as determined by SEC-HPLC.



Immobilized Human IL-1R2, hFc Tag at 0.5 μ g/mL (100 μ L/well) on the plate. Dose response curve for Biotinylated Human IL-1 Beta, His Tag with the EC₅₀ of 13.1 ng/mL determined by ELISA.