

Recombinant Human CEACAM3/CD66d Protein

Catalog No.: RP00517 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	1084	P40198-1

Tags

C-hFc

Synonyms

CEACAM3; CD66d; CGM1; CEA;

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE; ≥ 95 % as determined by HPLC.

Calculated MW	Observed MW
39.85 kDa	50-60 kDa

Endotoxin

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn

Background

The human granulocyte-specific receptor carcinoembryonic antigen-related cell adhesion molecule (CEACAM)3 is critically involved in the opsonin-independent recognition of several bacterial pathogens. CEACAM3-mediated phagocytosis depends on the integrity of an ITAM-like sequence within the cytoplasmic domain of CEACAM3 and is characterized by rapid stimulation of the GTPase Rac.

Basic Information

Description

Recombinant Human CEACAM3/CD66d Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Lys35-Gly155) of Human CEACAM3/CD66d (Accession #P40198-1) fused with a C-hFc tag at the C-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.




| www.abclonal.com.cn


Validation Data



Recombinant Human CEACAM3/CD66d Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Human CEACAM-3 is greater than 95% as determined by SEC-HPLC.



Immobilized Human CEACAM-7, His Tag at 1 µg/mL (100 µL/well) on the plate. Dose response curve for Human CEACAM-3, hFc Tag with the EC₅₀ of 31.1ng/mL determined by ELISA.