

Recombinant Human CD40 Ligand/TNFSF5 Trimer Protein

Catalog No.: RP00538 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 959 P29965

Tags N-His&Flag

Synonyms

CD40L; CD40LG; CD154; TNFSF5; TNFSF5IMD3; CD40LIGM; gp39; HIGM1; T-BAM; TRAP; IGM; IMD3; CD40 Ligand

Product Information

Source Purification

≥ 95 % as determined by SDS-PAGE;≥ 95 % as determined by

HPLC.

Calculated MW Observed MW

52.4 kDa 55 kDa

Endotoxin

HEK293 cells

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

2	400-999-6126
\sim	cn.market@abclonal.com.cn

Background

CD40 ligand or CD40L, also called CD154,? is a protein that is primarily expressed on activated T cells and is a member of the TNF superfamily of molecules. It binds to CD40 (protein) on antigen-presenting cells (APC), which leads to many effects depending on the target cell type. In total CD40L has three binding partners: CD40, $\alpha5\beta1$ integrin and $\alpha Ilb\beta3$. CD154 acts as a costimulatory molecule and is particularly important on a subset of T cells called T follicular helper cells.

Basic Information

Description

Recombinant Human TNFSF5/CD40 ligand/CD154 Trimer Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Met113-Leu261) of Human TNFSF5/CD40 ligand/CD154 Trimer (Accession #P29965) fused with a N-His&Flag tag at the N-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20 $^{\circ}\text{C}$ for 3 months, at 2-8 $^{\circ}\text{C}$ for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.


Validation Data



Recombinant Human CD40 Ligand/TNFSF5 Trimer Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Human CD40 Ligand Trimer is greater than 95% as determined by SEC-HPLC.



Immobilized Human CD40 Ligand Trimer, His Tag at 5 μ g/mL (100 μ L/Well) on the plate. Dose response curve for Human CD40, hFc Tag with the EC₅₀ of 101.8ng/mL determined by ELISA.