

Biotinylated Recombinant Human CD3 epsilon (23-48) Protein

Catalog No.: RP00600B **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	916	P07766

Tags

C-hFc&Avi

Synonyms

CD3ε; CD3E; T3E; FLJ18683; TCRE; CD3-epsilon; IMD18

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE; ≥ 95 % as determined by HPLC.

Calculated MW	Observed MW
31.3 kDa	40-50 kDa

Endotoxin

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

Background

CD3E, is a single-pass type I membrane protein. CD3 (cluster of differentiation 3) T cell co-receptor helps to activate both the cytotoxic T cell (CD8 naive T cells) and also T helper cells (CD4 naive T cells). It consists of a protein complex and is composed of four distinct chains. In mammals, the complex contains a CD3γ chain, a CD3δ chain, and two CD3ε chains.

Basic Information

Description

Biotinylated Recombinant Human CD3 epsilon (23-48) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asp23-Thr48) of Human CD3 epsilon (23-48) (Accession #P07766) fused with a C-hFc&Avi tag at the C-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.


Validation Data



Biotinylated Recombinant Human CD3 epsilon (23-48) Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Biotinylated Human CD3E 1-27 is greater than 95% as determined by SEC-HPLC.



Immobilized Anti-CD3 Antibody, hFc Tag at 1 µg/mL (100 µL/well) on the plate. Dose response curve for Biotinylated Human CD3E 1-27, hFc Tag with the EC₅₀ of 5.9ng/mL determined by ELISA.