

Recombinant Human CD3 epsilon Protein

Catalog No.: RP01178 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 916 P07766

Tags

C-His

Synonyms

CD3E;IMD18;T3E;TCRE;CD3e molecule

Product Information

Source Purification HEK293 cells ≥ 90 % as

determined by SDS-

PAGE.

Calculated MW Observed MW

15.00 kDa 15-25 kDa

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human CD3 epsilon Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Met1-Asp126) of Human CD3 epsilon (Accession #NP_000724.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Anti-CD3 epsilon/CD3e Antibody at 1:3000 (100 $\mu\text{L/well})$ can bind recombinant Human CD3E, the EC $_{50}$ of Human CD3E is 0.48 ng/mL.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Human CD3 epsilon Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Anti-CD3 epsilon/CD3e Antibody at 1:3000 (100 μ L/well) can bind recombinant Human CD3E, the EC50 of Human CD3E is 0.48ng/mL.