Recombinant SARS-CoV-2 Spike S1 Protein

Catalog No.: RP01279 Recombinant

Sequence Information

Background

SpeciesGene IDSwiss ProtSARS-CoV-243740568PODTC2

Tags C-hFc

Synonyms

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

Product Information

Source	Purification	
HEK293 cells	> 85% by SDS-	
	PAGE.	

Endotoxin

< 0.1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4 or Supplied as a 0.22 µm filtered solution in PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\times	cn.market@abclonal.com.cn
Ð	www.abclonal.com.cn

Basic Information

Description

Recombinant SARS-CoV-2 Spike S1 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val16-Arg685) of sars-cov-2 Spike S1 (Accession #YP_009724390.1) fused with a Fc tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Recombinant Human ACE2 Protein at 2 µg/mL (100 µL/well) can bind Recombinant SARS-CoV-2 Spike S1 Protein $_{50}$ of Recombinant SARS-CoV-2 Spike S1 Protein is 47.35 ng/mL.

Storage


Store the lyophilized protein at -20°C to -80°C for long term.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. or This liquid product is stable at \leq -70°C for up to 1 year from the date of receipt.


For optimal storage, aliquot into smaller quantities after centrifugation and store at recommended temperature.

Avoid repeated freeze/thaw cycles.





Recombinant SARS-CoV-2 Spike S1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 130-160 kDa.



Immobilized Recombinant Human ACE2-His Protein at 2µg/mL (100 µL/well) can bind Recombinant SARS-CoV-2 Spike S1-hFc Protein[]the EC_{s0} of Recombinant SARS-CoV-2 Spike S1-hFc Protein is 47.35 ng/mL.