Recombinant Human VEGF-D/FIGF Protein

ABclonal

www.abclonal.com

Catalog No.: RP01426 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 2277 043915

Tags

C-His

Synonyms

VEGFD; FIGF; VEGF-D; vascular endothelial growth factor D;FIGF;VEGF-D

Product Information

Source Purification HEK293 cells ≥ 95 % as

determined by SDS-

PAGE.

Calculated MW Observed MW

13.02 kDa 18-22 kDa

Endotoxin

< 0.1 EU/ μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Vascular endothelial growth factor D (VEGF-D), also known as C-fos induced growth factor (FIGF), belongs to the platelet-derived growth factor/vascular endothelial growth factor (PDGF/VEGF) family. FIGF protein is active in angiogenesis, lymphangiogenesis, and endothelial cell growth. FIGF protein is secreted as a non-covelent homodimer in an antiparallel fashion. Human FIGF protein is expressed in adult lung, heart, muscle, and small intestine, and is most abundantly expressed in fetal lungs and skin. FIGF protein is structurally and functionally similar to VEGF-C. Therefore, FIGF protein binds and activates VEGFR-2 (FIk1) and VEGFR-3 (FIt4) receptors, and may particularly be involved in cancers, such as breast cancer, epithelial ovarian carcinoma and so on.

Basic Information

Description

Recombinant Human VEGF-D/FIGF Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Phe93-Ser201) of human VEGF-D/FIGF (Accession #NP_004460.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human FIGF/VEGF-D at 1 μ g/mL (100 μ L/well) can bind Human VEGFR3 with a linear range of 1.953-100.773 ng/mL.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Human VEGF-D/FIGF Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Human FIGF/VEGF-D at 1 μ g/mL (100 μ L/well) can bind Human VEGFR3 with a linear range of 1.953-100.773 ng/mL.