

Recombinant Mouse Fc-epsilon RI-alpha/FCER1A Protein

Catalog No.: RP01553 Recombinant

Sequence Information

Species Gene ID Swiss Prot Mouse 14125 P20489

Tags C-hFc

Synonyms

FCE1A;FcERI;FCER1A

Product Information

Source Purification
HEK293 cells > 95% by SDSPAGE.

Endotoxin <0.1EU/µg

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Background

FCER1A is the alpha subunit of the immunoglobulin epsilon receptor (IgE receptor). IgE receptor is a high affinity IgE receptor which plays a central role in allergic disease, coupling allergen and mast cell to initiate the inflammatory and immediate hypersensitivity responses that are characteristic of disorders such as hay fever and asthma. The allergic response occurs when 2 or more IgE receptors are crosslinked via IgE molecules that in turn are bound to an allergen (antigen) molecule. A perturbation occurs that brings about the release of histamine and proteases from the granules in the cytoplasm of the mast cell and leads to the synthesis of prostaglandins and leukotrienes--potent effectors of the hypersensitivity response. IgE receptor is comprised of an alpha subunit(FcERI), a beta subunit, and two gamma subunits. FcERI is glycosylated and contains 2 Ig-like (immunoglobulin-like) domains.

Basic Information

Description

Recombinant Mouse Fc-epsilon RI-alpha/FCER1A Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ala24-Gln204) of mouse Fc-epsilon RI-alpha/FCER1A (Accession #NP_034314.2) fused with a hFc tag at the C-terminus.


Bio-Activity

Storage

Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Mouse Fc-epsilon RIalpha/FCER1A Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 65-75kDa.