

Recombinant Human/Mouse/Rat mature Activin A/INHBA Protein

Catalog No.: RP01782S Recombinant

Sequence Information

Species Gene ID Swiss Prot Human,Mous 3624 P08476 e,Rat

Tags

No-Tag

Synonyms

EDF; FRP; INHBA; Activin A

Product Information

Source Purification
CHO Cells ≥ 90 % as

determined by SDS-

PAGE.

Calculated MW Observed MW

12.98 kDa 15-20 kDa

Endotoxin

 $< 0.01 \; \text{EU/}\mu\text{g}$ of the protein by LAL method

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifµge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

a	400-999-6126
\bowtie	cn.market@abclonal.com.cn
$\overline{\mathfrak{S}}$	www.abclonal.com.cn

Background

The inhibin beta A subunit joins the alpha subunit to form a pituitary FSH secretion inhibitor. Inhibin has been shown to regulate gonadal stromal cell proliferation negatively and to have tumor-suppressor activity. In addition, serum levels of inhibin have been shown to reflect the size of granulosa-cell tumors and can therefore be used as a marker for primary as well as recurrent disease. Because expression in gonadal and various extragonadal tissues may vary severalfold in a tissue-specific fashion, it is proposed that inhibin may be both a growth/differentiation factor and a hormone. Furthermore, the beta A subunit forms a homodimer, activin A, and also joins with a beta B subunit to form a heterodimer, activin AB, both of which stimulate FSH secretion. Finally, it has been shown that the beta A subunit mRNA is identical to the erythroid differentiation factor subunit mRNA and that only one gene for this mRNA exists in the human genome.

Basic Information

Description

Recombinant Human/Mouse/Rat mature Activin A/INHBA Protein is produced by CHO cells expression system. The target protein is expressed with sequence (Gly311-Ser426) of Human/Mouse/Rat mature Activin A/INHBA (Accession #NP_002183.1) fused with No Tag.

Bio-Activity

Measured by its ability to inhibit proliferation of MPC-11 cells. The ED $_{50}$ for this effect is 3.215-12.86 ng/mL, corresponding to a specific activity of $7.78\times10^4\sim3.11\times10^5$ units/mg.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Human/Mouse/Rat mature Activin A/INHBA Protein was resolved with SDS PAGE under reducing (R) and nonreducing (NR) conditions.



Measured by its ability to inhibit proliferation of MPC-11 cells. The ED $_{50}$ for this effect is 3.215-12.86 ng/mL, corresponding to a specific activity of $7.78\times10^4\sim3.11\times10^5$ units/mg.