

Recombinant Human Integrin alpha V beta3 (ITGB3 | ITGAV) Protein

Catalog No.: RP01918 Recombinant

Sequence Information

SpeciesGene IDSwiss ProtHuman3690[]3685P05106&P06

756

Tags

C-His C-Flag

Synonyms

ITGB3; GP3A; Integrin beta-3; Platelet membrane glycoprotein Illa; GPIlla; CD antigen CD61 & ITGAV[ITGAV; MSK8; VNRA; VTNR[Integrin alpha-V; Vitronectin receptor subunit alpha; CD51; Cleaved into: Integrin alpha-V heavy chain; Integrin alpha-V light chain

Product Information

Source

Purification

HEK293 cells ≥ 90% as determined by SDS-

PAGE.

Calculated MW Observed MW

77.71 kDa(ITGB3), 100-180 kDa 111.94 kDa(ITGAV)

Endotoxin

 $< 0.1 \; \text{EU/}\mu\text{g}$ of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6

400-999-6126

Background

Integrin beta-3 & alpha-V/ITGB3/ITGAV) is a receptor for cytotactin, fibronectin, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin, vitronectin and von Willebrand factor.

Basic Information

Description

Recombinant Human Integrin alpha V beta3 (ITGB3[ITGAV) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ala21-Asp718) of Human ITGB3 (Accession #NP_000203.2) fused with His tag at the C-terminus and (Phe31-Val992) of Human ITGAV (Accession #NP_002201.1) fused with His tag at the C-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20 $^{\circ}$ C for 3 months, at 2-8 $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Human Integrin alpha V beta3 (ITGB3[ITGAV) Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.