

Recombinant Human Integrin alpha 5 beta 1 (ITGA5&ITGB1) Heterodimer Protein

Catalog No.: RP02426 Recombinant

Sequence Information

 Species
 Gene ID
 Swiss Prot

 Human
 3678&3688
 P08648&P05

Tags

C-His&Avi

Synonyms

Integrin alpha 5 beta 1; VLA-5

Product Information

Source

HEK293 cells

Purification

≥ 95 % as determined by Tris-Bis PAGE;≥ 95 % as determined by

HPLC.

Calculated MW Observed MW

111.8 kDa(ITGA5), 100-140 kDa 83.2 kDa(ITGB1)

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6		400-999-6126	
\bowtie	cn.marke	cn.market@abclonal.com.cn	

Background

Basic Information

Description

Recombinant Human Integrin alpha 5 beta 1 (ITGA5&ITGB1) Heterodimer Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Phe42-Tyr995(P08648) acidic tail& Gln21-His728(P05556) basic tail) of Human Integrin alpha 5 beta 1 (ITGA5&ITGB1) Heterodimer fused with His tag and Avi tag at the C-terminal.

Bio-Activity

Immobilized Human ITGA5&ITGB1,His Tag at 0.5 μ g/mL (100 μ L/Well). Dose response curve for Anti-ITGA5&ITGB1 Ab.with the EC₅₀ of 35.4 ng/mL determined by ELISA.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Validation Data



Recombinant Human Integrin alpha 5 beta 1 (ITGA5&ITGB1) Heterodimer Protein was determined by Tris-Bis PAGE under reducing conditions with Coomassie Blue.



The purity of Human ITGA5&ITGB1 is greater than 95% as determined by SEC-HPLC.



Immobilized Human ITGA5&ITGB1, His Tag at 1 μ g/ml (100 μ l/well) on the plate. Dose response curve for Anti-ITGA5&ITGB1 Antibody, hFc Tag with the EC₅₀ of 17.2ng/ml determined by ELISA.