# **Human TNF alpha Monoclonal Antibody**

www.abclonal.com

ABclonal

Catalog No.: YR0013

### **Basic Information**

#### **Molecular Weight**

150 kDa

#### **Endotoxin**

<1EU/mg (<0.001EU/ $\mu$ g)Determined by LAL gel clotting assay

### Sterility

0.2 µm filtration

### **Aggregation**

<5% Determined by SECP

### **Purity**

94.03% Determined by SEC-HPLC

### **Background**

Adalimumab, the first fully human monoclonal antibody drug approved by FDA, binds to TNF $\alpha$ , inactivates TNF receptors, and downregulates the inflammatory reactions associated with a variety of autoimmune diseases, such as rheumatoid arthritis, psoriatic arthritis, ankylosing spondylitis, Crohn's disease, ulcerative colitis, moderate to severe chronic psoriasis and juvenile idiopathic arthritis. Mainly produced by activated macrophages (M1), Tumor necrosis factor (TNF, cachexin, cachectin, tumor necrosis factor alpha, TNF $\alpha$ ) plays important roles in the regulation of immune cells. As a member of a group of cytokines that stimulate the acute phase reaction, TNF is involved in systemic inflammation and able to induce fever, apoptotic cell death, cachexia, inflammation, and to inhibit tumorigenesis and viral replication and respond to sepsis via IL1 & IL6 producing cells. Dysregulation of TNF expression could have serious impact in a variety of human diseases including Alzheimer's disease, cancer, major depression and inflammatory bowel disease.

## **Reported Applications**

ELISA,neutralization,functional assays such as bioanalytical P K and ADA assays,and those assays for studying biological pathways

### Immunogen Information

Clone

Adalimumab Biosimilar

Human IgG1 kappa

Isotype

#### **Immunogen**

Human TNF alpha

### RecommendedIsotype Control(s)

In Vivo Grade Recombinant Human IgG1 Kappa Isotype Control Antibody

### **Recommended Dilution Buffer**

1×PBS pH 7.3

### **Contact**

6		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

### **Product Information**

### Production

**Purification** 


Purified from cell culture supernatant in an animal-free facility


Protein A or G purification

#### Storage

Store at  $2 - 8^{\circ}$ C.  $2 - 8^{\circ}$ C for up to 4 weeks and  $-80^{\circ}$ C for long term storage (Avoid repeated freezing and thawing)







Direct ELISA binding curve demonstrating the recognition of Human Anti-Human TNF- $\alpha$  (Research Grade Adalimumab Biosimilar) Monoclonal Antibody to TNF- $\alpha$ . The target protein was coated onto the microplate well surface, followed by binding of the antibody. A donkey anti-human IgG HRP conjugate was used for detection.

Determined through SPR assay, the Human Anti-Human TNF- $\alpha$  (Research Grade Adalimumab Biosimilar) Monoclonal Antibody is Capable of binding to Human TNF- $\alpha$  with an affinity constant of 0.1658 M.