

In Vivo Grade Recombinant Mouse IgG2c Isotype Control Antibody, Endotoxin 0.05 EU/mg

Catalog No.: YR0173

Basic Information

Molecular Weight

150 kDa

Endotoxin

<0.05EU/mg (<0.00005EU/µg)
Determined by LAL gel clotting assay

Sterility

0.2 µm filtration

Aggregation

<5% Determined by SECP

Purity

>95% Determined by SDS-PAGE

Background

Mouse IgG antibodies are classified to four subclasses mainly based on the isotype of the heavy chain (IgG1, IgG2a or IgG2c, IgG2b, and IgG3 for the heavy chain; kappa and lamda for the light chain), of which IgG1 and kappa are the most abundantnamed in serum. IgG antibodies are large molecules of about 150 kDa composed of four peptide chains, two identical heavy chains of about 50 kDa and two identical light chains of about 25 kDa. The four peptides are arranged in a Y-shape tetramer by disulfide bonds formed between the two heavy chains and between a heavy chain and a light chain.

Reported Applications

an isotype-

matched negative control use d in ELISA,Western Blot (WB), Flow Cytometry (Flow),Immuno precipitation (IP),Immunohistoc hemistry (Paraffin) (IHC (P)),I mmunohistochemistry (Frozen) (IHC (F)),and in vivo animal model research

Immunogen Information

Clone

Isotype

Mouse IgG2c kappa

Immunogen

RecommendedIsotype Control(s)

Recommended Dilution Buffer

1×PBS

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Product Information

Production

Purification

Purified from cell culture supernatant in an animal-free facility

Protein A or G purification

Storage

Store at $2 - 8^{\circ}$ C. $2 - 8^{\circ}$ C for up to 4 weeks and -80° C for long term storage (Avoid repeated freezing and thawing)