Recombinant Human PCSK9 Protein

ABclonal® www.abclonal.com

Catalog No.: RP01148 Recombinant 1 Publications

Sequence Information

Species Gene ID Swiss Prot Human 255738 Q8NBP7

Tags

C-His

Synonyms

FH3; HCHOLA3; LDLCQ1; NARC-1; NARC1; PC9;PCSK9; FH3; proprotein convertase subtilisin/kexin type 9;HCHOLA3;LDLCQ1;NARC-1;NARC1;PC9

Product Information

Source Purification HEK293 cells ≥ 90 % as

determined by SDS-

PAGE.

Calculated MW Observed MW

71.89 kDa 66 kDa, 19 kDa

Endotoxin

< 0.1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human PCSK9 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln31-Gln692) of human PCSK9 (Accession #NP_777596.2) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human LDLR at $5\mu g/mL$ (100 $\mu L/well$) can bind Human PCSK9 with a linear range of 0.5-294.7ng/mL.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human PCSK9 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Human LDLR at $5\mu g/mL$ (100 $\mu L/well$) can bind Human PCSK9 with a linear range of 0.5-294.7ng/mL.