

**Catalog No.:** RP01340   **Recombinant**   **4 Publications**

Species	Gene ID	Swiss Prot
Mouse	16176	P10749

C-His

IL-1 beta; IL-1b; IL-1beta; IL1b

<b>Source</b> <i>E. coli</i>	<b>Purification</b> ≥ 95 % as determined by SDS- PAGE
---------------------------------	--

Calculated MW	Observed MW
18.23 kDa	19-20 kDa

< 0.1 EU/μg of the protein by LAL method.

Lyophilized from a 0.22  $\mu\text{m}$  filtered solution of PBS, pH 7.4.

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

 | 400-999-6126

 | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

 | [www.abclonal.com.cn](http://www.abclonal.com.cn)


Interleukin-1 beta (IL1 beta or IL1B) also known as catabolin, is a member of the interleukin 1 cytokine family. This cytokine is produced by activated macrophages as a proprotein, which is proteolytically processed to its active form by caspase 1 (CASP1/ICE). This cytokine is an important mediator of the inflammatory response, and is involved in a variety of cellular activities, including cell proliferation, differentiation, and apoptosis. The induction of cyclooxygenase-2 (PTGS2/COX2) by this cytokine in the central nervous system (CNS) is found to contribute to inflammatory pain hypersensitivity.

**Description**  
Recombinant Mouse IL-1 beta Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Val118-Ser269) of mouse IL-1 beta (Accession #NP\_032387.1) fused with 6xHis tag at the C-terminus.


1. Measured by its binding ability in a functional ELISA. Immobilized Mouse IL1B at 10 µg/mL (100 µL/well) can bind Human IL1R2 with a linear range of 0.03125-0.8036 µg/mL. 2. Measured in a cell proliferation assay using D10.G4.1 mouse helper T cells. The ED<sub>50</sub> for this effect is 42.1-168.4 pg/mL, corresponding to a specific activity of  $5.94 \times 10^6$ - $2.37 \times 10^7$  units/mg.

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.  
After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.  
Avoid repeated freeze/thaw cycles.


Validation Data



Recombinant Mouse IL-1 beta Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Mouse IL1B at 10 µg/mL (100 µL/well) can bind Human IL1R2 with a linear range of 0.03125-0.8036 µg/mL.



Recombinant Mouse IL-1B promotes the proliferation of D10.G4.1 mouse helper T cells. The ED<sub>50</sub> for this effect is 3.10-12.40 pg/mL, corresponding to a specific activity of 8.06×10<sup>7</sup>~3.23×10<sup>8</sup> units/mg..